

CIRRHOSIS AFFECTS TWICE
AS MANY TRANSGENDER ADULTS
AS CISGENDER ADULTS



## WHAT TO KNOW ABOUT HORMONES, ALCOHOL AND LIVER DISEASE SCREENINGS

- Hormone Therapy & the Liver: High does of Progestins, Estrogen, or Testosterone can lead to liver enzyme elevations
- **Regular Monitoring of Liver Enzymes** (AST, ALT, ALP, bilirubin) is recommended during hormone therapy.
- Anabolic Steroid Use: Some transgender men may use anabolic steroids for masculinization or bodybuilding, which can cause serious liver damage
- **Substance Use & Risk Factors:** Transgender individuals may face higher rates of alcohol use, hepatitis B/C, and alcohol-associated liver disease (ALD) due to social stressors and disparities in healthcare.

Do you have Liver Disease? Join the Sober Livers HOPE (Healing Ourselves with Peer & Education) Community






FOR MORE INFO: WWW.SOBERLIVERS.ORG





## CIRRHOSIS AFFECTS TWICE AS MANY TRANSGENDER ADULTS AS CISGENDER ADULTS



## WHAT TO KNOW ABOUT HORMONES, ALCOHOL AND LIVER DISEASE SCREENINGS

- Hormone Therapy & the Liver: High does of Progestins, Estrogen, or Testosterone can lead to liver enzyme elevations
- **Regular Monitoring of Liver Enzymes** (AST, ALT, ALP, bilirubin) is recommended during hormone therapy.
- Anabolic Steroid Use: Some transgender men may use anabolic steroids for masculinization or bodybuilding, which can cause serious liver damage
- **Substance Use & Risk Factors:** Transgender individuals may face higher rates of alcohol use, hepatitis B/C, and alcohol-associated liver disease (ALD) due to social stressors and disparities in healthcare.

## Do you have Liver Disease? Join the Sober Livers HOPE (Healing Ourselves with Peer & Education) Community







FOR MORE INFO: WWW.SOBERLIVERS.ORG

